

Amendments to the Claims

The following Listing of Claims replaces all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1 (previously presented): A computer-implemented method of producing a layout of objects on a page, comprising:

generating different tree structures each having at least one node and at least one leaf, wherein each node corresponds to a respective partition of the page and each leaf defines a relative location of a respective one of the objects on the page, wherein each object has a respective fixed aspect ratio and is associated with a respective relative area proportion that has a value such that a ratio of the respective relative area proportion to a respective amount of area on the page that is occupied by the object in the layout is equal to an identical constant value for all the objects;

for each of the tree structures, characterizing a respective bounding box for each respective node in the tree structure based on the respective aspect ratios and the respective relative area proportions associated with all of the objects in all subtrees below the respective node, wherein each bounding box includes all of the objects in all subtrees below the respective node;

for each of the tree structures, assigning regions within the page for each node in the tree structure in accordance with the respective bounding box associated with the node;

for each of the tree structures, determining a respective score that comprises a measure of available space on the page that is unoccupied by the objects arranged on the page in accordance with partitions of the page defined by the tree structure;

selecting one of the tree structures based on the determined scores; and

producing a layout of the objects on the page based on the selected tree structure.

Claim 2 (previously presented): The method of claim 1, wherein the characterizing comprises:

for each of the tree structures, establishing for each node of the tree structure a respective relative area proportion and a respective aspect ratio as a function of the relative area proportions and the aspect ratios of all children of the node, wherein for each node a respective ratio of the respective relative area proportion to a respective amount of area on the page that is occupied by the node in the layout is equal to an identical constant value for all the nodes.

Claim 3 (previously presented): A computer-implemented method of producing a layout of objects on a page, comprising:

generating a tree structure having at least one node and at least one leaf, where each leaf corresponds to one of the objects;

associating a respective bounding box with each node in the tree structure, wherein each bounding box includes all objects in any subtree below the associated node, each object has a respective fixed aspect ratio and is associated with a respective relative area proportion that has a value such that a ratio of the respective relative area proportion to a respective amount of area on the page that is occupied by the object in the layout is equal to an identical constant value for all the objects, and the associating comprises

establishing a respective relative area proportion and a respective aspect ratio for each node as a function of the relative area proportions and the aspect ratios of all children of the node, and

prior to the establishing, adjusting relative area proportions of at least one child of each node and all children thereof so that predetermined dimensions of the children are equal;

assigning regions of the page for each node in the tree structure in accordance with the bounding box associated with the node; and

producing a layout of the objects on the page in accordance with the assignment of regions to the nodes.

Claim 4 (previously presented): The method of claim 2, wherein said establishing comprises for each of the nodes:

determining a respective aspect ratio and a respective relative area proportion for each child of the node; and

determining the respective relative area proportion and the respective aspect ratio of the node based on the respective relative area proportions and the respective aspect ratios of the children of the node and an orientation of the page partition corresponding to the node.

Claim 5 (previously presented): The method of claim 3, wherein the adjusting comprises for each of the nodes:

determining a respective aspect ratio and a respective relative area proportion for each child of the node;

determining a factor for the node based on the respective relative area proportions and the respective aspect ratios of the children of the node and an orientation of the page partition corresponding to the node; and

multiplying the respective relative area proportions of a selected child of the node and all children of the selected child by the factor.

Claim 6 (previously presented): The method of claim 1, further comprising iteratively performing the generating, the characterizing, the assigning, the determining, and the selecting for each of the different tree structures in sequence.

Claim 7 (original): The method of claim 1, further comprising reassigning objects to leaves within the tree structure after said characterizing and assigning, and repeating said characterizing and assigning for the reassigned objects.

Claim 8 (currently amended): A method of producing a layout of fixed aspect ratio objects on a page, comprising:

generating a binary tree structure comprising

a plurality of leaves, wherein each of the leaves corresponds to a respective one of the objects, and

a plurality of nodes including a root node, wherein each of the nodes corresponds to a respective partition of the page;

for each of the nodes in the binary tree structure, determining a respective aspect ratio and a ~~relative size~~ of a respective bounding box containing all bounding boxes respectively determined for all ~~child~~ nodes and leaves branching from the node, wherein the determining comprises

for each given one of the nodes corresponding to a respective horizontal partition of the page, determining relative sizes of the respective bounding boxes of all immediate children of the given node such that horizontal dimensions of the bounding boxes of all the immediate children of the given node are equal, and

for each particular one of the nodes corresponding to a respective vertical partition of the page, determining relative sizes of the respective bounding boxes of all immediate children of the given node such that vertical dimensions of the bounding boxes of all the immediate children of the given node are equal; and

producing a layout of the objects on the page based on the bounding box determined for the root node.

Claim 9 (currently amended): A method of producing a layout of fixed aspect ratio objects on a page, comprising:

generating a binary tree structure comprising

a plurality of leaves, wherein each of the leaves corresponds to a respective one of the objects, and

a plurality of nodes including a root node, wherein each of the nodes corresponds to a respective partition of the page;

for each of the nodes in the binary tree structure, determining a respective aspect ratio and a respective area of a respective bounding box containing all bounding boxes respectively determined for all nodes and leaves branching from the node The method of claim 8, wherein each object is associated with a respective relative area proportion that has a value such that a

ratio of the respective relative area proportion to a respective amount of area on the page that is occupied by the object in the layout is equal to an identical constant value for all the objects, and the determining comprises: for each of the nodes in the binary tree structure, determining a respective relative area proportion and a respective aspect ratio of the respective bounding box as a function of the respective aspect ratios and the respective relative area proportions of the objects associated with children of the node; and
producing a layout of the objects on the page based on the bounding box determined for the root node.

Claim 10 (previously presented): The method of claim 9, wherein the determining of the respective relative area proportion of each node further comprises adjusting the relative area proportion of each of the respective bounding boxes determined for at least one child of each of the nodes and all children thereof so that corresponding dimensions of the bounding boxes respectively determined for the children are equal.

Claim 11 (previously presented): The method of claim 9, wherein said determining of the respective relative area proportion of each node comprises:

determining a respective aspect ratio and a respective relative area proportion for each child of the node; and

determining the respective relative area proportion and the respective aspect ratio of the node based on the respective relative area proportions and the respective aspect ratios of the children of the node and an orientation of the page partition corresponding to the node.

Claim 12 (previously presented): The method of claim 10, wherein the adjusting comprises for each of the nodes:

determining a respective aspect ratio and a respective relative area proportion for each child of the node;

determining a factor for the node based on respective relative area proportions and the respective aspect ratios of the children of the node and an orientation of the page partition corresponding to the node; and

multipling the respective relative area proportions of a selected child of the node and all the children of the selected child by the factor.

Claim 13 (currently amended): A method of producing a layout of fixed aspect ratio objects on a page, comprising:
generating a binary tree structure comprising
a plurality of leaves, wherein each of the leaves corresponds to a respective one of
the objects, and
a plurality of nodes including a root node, wherein each of the nodes corresponds
to a respective partition of the page;
for each of the nodes in the binary tree structure, determining a respective aspect ratio
and a respective area of a respective bounding box containing all bounding boxes respectively
determined for all nodes and leaves branching from the node;
producing a layout of the objects on the page based on the bounding box determined for
the root nodeThe method of claim 8, further comprising:
scoring the binary tree structure subsequent to the producing;
generating a different binary tree structure;
performing the determining and the producing for each node in the different binary tree structure;
scoring the different binary tree structure; and
selecting the one of the binary tree structure and the different binary tree structure that is scored higher.

Claim 14 (currently amended): A method of producing a layout of fixed aspect ratio objects on a page, comprising:
generating a binary tree structure comprising
a plurality of leaves, wherein each of the leaves corresponds to a respective one of
the objects, and
a plurality of nodes including a root node, wherein each of the nodes corresponds
to a respective partition of the page;

for each of the nodes in the binary tree structure, determining a respective aspect ratio and a respective area of a respective bounding box containing all bounding boxes respectively determined for all nodes and leaves branching from the node;

producing a layout of the objects on the page based on the bounding box determined for the root node;

The method of claim 8, further comprising reassigning objects to leaves within the tree structure after the determining and the producing; and

repeating the determining and the producing for the reassigned objects.

Claim 15 (currently amended): A method of producing a layout of images in a predefined space on a page while maintaining aspect ratios associated with said images, the method comprising:

generating a binary tree structure comprising

a plurality of nodes includes a root node, wherein each of the nodes corresponds

to a respective partition of the predefined space on the page, and

a plurality of leaves, wherein each of the leaves corresponds to a respective one of the images and is associated with a respective one of the nodes;

for each of the nodes in the binary tree structure, determining a respective aspect ratio and a relative size respective area of a respective bounding box containing all bounding boxes respectively determined for all child nodes -leaves associated withbranching from the node,
wherein the determining comprises

for each given one of the nodes corresponding to a respective horizontal partition of the page, determining relative sizes of the respective bounding boxes of all immediate children of the given node such that horizontal dimensions of the bounding boxes of all the immediate children of the given node are equal, and

for each particular one of the nodes corresponding to a respective vertical partition of the page, determining relative sizes of the respective bounding boxes of all immediate children of the given node such that vertical

dimensions of the bounding boxes of all the immediate children of the given node are equal; and

producing a layout of the images in the predefined space on the page based on the bounding box determined for the root node.

Claim 16 (currently amended): A method of producing a layout of images in a predefined space on a page while maintaining aspect ratios associated with said images, the method comprising:

generating a binary tree structure comprising

a plurality of nodes includes a root node, wherein each of the nodes corresponds to a respective partition of the predefined space on the page, and
a plurality of leaves, wherein each of the leaves corresponds to a respective one of the images and is associated with a respective one of the nodes;

for each of the nodes in the binary tree structure, determining a respective aspect ratio and a respective area of a respective bounding box containing all bounding boxes respectively determined for all leaves associated with the node The method of claim 15, wherein each image has a fixed aspect ratio and is associated with a respective relative area proportion that has a value such that a ratio of the respective relative area proportion to a respective amount of area on the page that is occupied by the image in the layout is equal to an identical constant value for all the images, and the determining comprises: for each of the nodes in the binary tree structure, ascertaining the respective area of the respective bounding box as a function of the respective aspect ratios and the respective relative area proportions of the images associated with children of the node; and

producing a layout of the images in the predefined space on the page based on the bounding box determined for the root node.

Claim 17 (previously presented): The method of claim 16, wherein the determining of the respective relative area proportion of each node further comprises adjusting the relative area proportion of each of the respective bounding boxes determined for at least one child of each of

the nodes and all children thereof so that corresponding dimensions of the bounding boxes respectively determined for the children are equal.

Claim 18 (previously presented): The method of claim 16, wherein the ascertaining comprises for each of the nodes:

determining a respective aspect ratio and a respective relative area proportion for each child of the node; and

determining the respective relative area proportion and the respective aspect ratio of the node based on the respective relative area proportions and the respective aspect ratios of the children of the node and an orientation of the page partition corresponding to the node.

Claim 19 (previously presented): The method of claim 17, wherein the adjusting comprises for each of the nodes:

determining a respective aspect ratio and a respective relative area proportion for each child of the node;

determining a factor for the node based on the respective relative area proportions and the respective aspect ratios of the children of the node and an orientation of the page partition corresponding to the node; and

multiplying the respective relative area proportions of a selected child of the node and all the children of the selected child by the factor.

Claim 20 (currently amended): A method of producing a layout of images in a predefined space on a page while maintaining aspect ratios associated with said images, the method comprising:

generating a binary tree structure comprising

a plurality of nodes includes a root node, wherein each of the nodes corresponds to a respective partition of the predefined space on the page, and

a plurality of leaves, wherein each of the leaves corresponds to a respective one of the images and is associated with a respective one of the nodes;

for each of the nodes in the binary tree structure, determining a respective aspect ratio and a respective area of a respective bounding box containing all bounding boxes respectively determined for all leaves associated with the node;

producing a layout of the images in the predefined space on the page based on the bounding box determined for the root node
The method of claim 15, further comprising:
generating a different binary tree structure;
performing said determining for each node in the different binary tree structure; and
assigning to each of the binary tree structures a respective score that comprises a measure of available space on the page that is unoccupied by the images arranged on the page in accordance with partitions of the page defined by the tree structure; and
selecting one of the tree structures based on the respective scores assigned to the binary tree structure.

Claim 21 (currently amended): A method of producing a layout of images in a predefined space on a page while maintaining aspect ratios associated with said images, the method comprising:

generating a binary tree structure comprising
a plurality of nodes includes a root node, wherein each of the nodes corresponds to a respective partition of the predefined space on the page, and
a plurality of leaves, wherein each of the leaves corresponds to a respective one of the images and is associated with a respective one of the nodes;
for each of the nodes in the binary tree structure, determining a respective aspect ratio and a respective area of a respective bounding box containing all bounding boxes respectively determined for all leaves associated with the node; and
producing a layout of the images in the predefined space on the page based on the bounding box determined for the root node;
The method of claim 15, further comprising reassigning images to leaves within the binary tree structure after the determining; and
producing, and repeating the determining and the producing for the reassigned images.